

Section: GeoNode

Answers to section modules.

Module Name GeoNode dengan QGIS server

Question: -

Module Name User Accounts

Question: -

Module Name Uploading Layers

Question: Can a user who is not logged into GeoNode upload their layers

[Answer:](#) No, your user account needs to be granted the relevant permissions to be able to upload data by a GeoNode administrator

Question: Can I upload a zipped file containing raster data into GeoNode

[Answer:](#) No, this functionality is specific to vector data

Question: Can I upload a proprietary raster format in GeoNode

[Answer:](#) Yes, if you can view it in QGIS then it is possible

Module Name Creating Layers

Question: Is it possible to configure GeoNode to use satellite imagery as a basemap

[Answer:](#) Yes, an administrator can easily do this

Question: Can you setup snapping in GeoNode like you would in QGIS or ArcGIS

[Answer:](#) No

Question: Which of the following statements regarding layer creation is false

[Answer:](#) There is a limit to the number of attribute fields that can be applied to a layer

Module Name Managing Resources

Question: -

Module Name Layer Metadata

Question: Which statement is false regarding metadata standards

[Answer:](#) *It helps users to understand the data characteristics*

Question: Metadata generated from other platforms, such as the QGIS MetaTools plugin, can be ingested in GeoNode despite being produced with different toolsets. Why is that?

[Answer:](#) *They all produce metadata that adhere to some common standard*

Module Name **Layer Symbolology**

Question: Can you also symbolize raster data using SLD

[Answer:](#) *Yes, SLD can be used for multiple spatial data types*

Question: Is it possible to symbolize point layers with complex icons using SLD, such as Hospitals

[Answer:](#) *Yes, you can generate quite complex symbology with SLD*

Question: Which of the following statements is false

[Answer:](#) *Raster data cannot be symbolized in the GeoNode GUI like vector layers*

Module Name **Layer Attributes**

Question: Is it possible to edit the attributes of raster data

[Answer:](#) *No, GeoNode does not expose the attributes of raster layers*

Question: Is it possible to replace a vector layer with a raster layer

[Answer:](#) *No, their data models are completely different*

Question: Is it possible to also edit the geometry of an existing feature whilst in edit mode for attributes

[Answer:](#) *You can edit an existing geometry to some extent*

Module Name **Layer Filters**

Question: Why is it important to filter your data when creating a map

[Answer:](#) *To extract some interesting pattern from a dataset based on some defined criteria or a particular area of interest*

Question: When creating maps I can also filter a raster layer using the attributes

[Answer:](#) *GeoNode has not exposed this option because of it's complexity*

Module Name **Content Permissions**

Question: Which of the following statements best describes permission management in GeoNode

[Answer:](#) *GeoNode permissions are granular and are defined by action and user or group*

Question: How can you change permissions once they are set

[Answer:](#) *Any user with content management permissions on a GeoNode object can change the permissions using the controls in the object details page*

Module Name **GeoNode Groups**

Question: Can any registered user create a user group on GeoNode

[Answer:](#) *No, only system administrators can create new user groups*

Question: Which of the following statements is not true of GeoNode user groups

[Answer:](#) *Groups contain controls to prevent other platform users from sending them messages*

Module Name **Map Basics**

Question: Why would you create a map after logging in vs when not logged in

[Answer:](#) *The ability to store your map on the GeoNode instance is only available when logged in*

Question: Why would you not create a map with layers from South Africa and Brazil

[Answer:](#) *The map produced will have a large extent and the layers will not overlap*

Question: How would I go about adding another basemap layer like Google Hybrid to GeoNode

[Answer:](#) *You need to be a developer and change a few lines of code to incorporate this*

Module Name **Map Widgets**

Question: -

Module Name **Map Annotations**

Question: -

Module Name **Identify Map Features**

Question: Is it possible to only show a subset of the attributes when identifying features

[Answer:](#) Yes

Question: If I wanted to view the identify results as a table I would

[Answer:](#) *Use the custom templates and write some custom HTML to achieve this*

Question: Why would a user want to give an attribute name a new label

[Answer:](#) *To give meaningful description for attribute columns.*

Module Name **Sharing Maps**

Question: What permissions should you set if you want to share a map on Facebook

[Answer:](#) *'Anyone view' access*

Question: When you share a map, what are you downloading or sharing

[Answer:](#) *A link to a GeoNode web map service*

Module Name **GeoNode Documents**

Question: What is the significance of associating documents with layers

[Answer:](#) *To publish additional information about the layer beyond the metadata*

Question: What is a standalone document

[Answer:](#) *A document that is of a specific type e.g pdf*

Question: Can a Document be associated to multiple layers

[Answer:](#) Yes

Module Name **Searching GeoNode Resources**

Question: What is the difference between searching for layers when logged into GeoNode vs not logged in

[Answer:](#) *When logged in there are more search options available*

Question: What is a remote service

[Answer:](#) *Vector layers that can be accessed from the internet*

Question: Can you search for non-spatial content and maps in GeoNode

[Answer:](#) Yes

Module Name **Generating Metadata in External Applications**

Question: Why would a user choose GeoCatBridge plugin over native QGIS metadata editor to generate metadata for use in GeoNode

Answer: *QGIS does not export the metadata into a format that GeoNode understands*

Question: Metadata generated from InaSAFE and GeoCatBridge can be ingested in GeoNode but they are produced with different tools. Why is that

Answer: *They all produce metadata that adhere to some common standard*

Module Name **Accessing GeoNode Resources in External Applications**

Question: What kind of OGC service do you use if you need to edit the raster

Answer: *The raster cannot be edited in QGIS, you need to re-upload the raw raster in GeoNode after making your modifications*

Question: What is produced when you click service info in MetaSearch and what details does it contain

Answer: *It produces a list of all geospatial data available in GeoNode excluding documents*

Question: Why is it desirable to put your username,password when setting up connection endpoint in MetaSearch

Answer: *It allows access to layers with restricted access from the GeoNode*

Module Name **Administration using python management commands**

Question: What components make up GeoNode

Answer: *GeoServer or QGIS Server, Django,PostgreSQL*

Question: Why would you want to use the command line management commands vs admin interface accessible on the browser

Answer: *The command-line allows a user to do more tasks in an automated way which the admin interface will not be able to achieve*

Question: How would you use the command line management tools

Answer: *Yes, Only if you have installed management software like rancher*

Module Name **Assessment**

Question: -
